Author Index

Aikawa, M., see Verma, J.N. (1066) 229
Allen, T.M., Hansen, C., Martin, F., Redemann, C. and Yau-Young, A.
Liposomes containing synthetic lipid derivatives of poly(ethylene glycol) show prolonged circulation half-lives in vivo (1066) 29
Alving, C.R., see Verma, J.N. (1066) 229
Atkinson, C.T., see Verma, J.N. (1066) 229
Ayraut-Jarrier, M., see Schroeder, F. (1066) 183

Bach, D., see Wachtel, E.J. (1066) 63
Barhoumi, R., see Mouneimne, Y. (1066) 83
Barth, C. and Stark, G.
Radiation inactivation of ion channels formed by gramicidin A. Protection by lipid double bonds and by α-tocopherol (1066) 54
Beaujean, V., see Devuyst, O. (1066) 268
Béliveau, R., see Gingras, D. (1066) 261
Benson, L.A., see George, S.K. (1066) 131
Bentrup, F.-W., see Weiser, T. (1066) 109
Bittman, R., see Kan, C.-C. (1066) 95
Borgese, F., Motais, R. and García-Romeu, F.
Regulation of Cl-dependent K transport by oxy-deoxyhemoglobin transitions in trout red cells (1066) 252
Borle, F., Sänger, M. and Sigrist, H.
Planar bilayer membranes from photoactivable phospholipids (1066) 144
Borochov, N., see Wachtel, E.J. (1066) 63
Borovyagin, V.L., see Sabelnikov, A.G. (1066) 21
Brechue, W.F., Kinne-Saffran, E., Kinne, R.K.H. and Maren, T.H.
Localization and activity of renal carbonic anhydrase (CA) in CA-II deficient mice (1066) 201
Bursaux, E., see Yannoukakos, D. (1066) 70

Chen, M.-j., Sorette, M.P., Chiu, D.T.-Y. and Clark, M.R.
Prehemolytic effects of hydrogen peroxide and *t*-butylhydroperoxide on selected red cell properties (1066) 193
Chiu, D.T.-Y., see Chen, M.-j. (1066) 193
Christophe, J., see Gourlet, P. (1066) 245
Clark, M.R., see Chen, M.-j. (1066) 193
Connor, J. and Schroit, A.J.
Transbilayer movement of phosphatidylserine in erythrocytes. Inhibitors of aminophospholipid transport block the association of photolabeled lipid to its transporter (1066) 37
Crabbé, J., see Devuyst, O. (1066) 268
Crowe, P.T., see Riley, S.A. (1066) 175
Cymbalyuk, E.S., see Sabelnikov, A.G. (1066) 21

De Neef, P., see Gourlet, P. (1066) 245
Derappe, C., see Feugeas, J.-P. (1066) 59
Devaux, P.F., see Schroeder, F. (1066) 183
Devuyst, O., Beaujean, V. and Crabbé, J.
Aldosterone and chloride conductance of amphibian skin (1066) 268
Driancourt, C., see Yannoukakos, D. (1066) 70
Dvoryantsev, S.N., see Timonin, I.M. (1066) 43

Feugeas, J.-P., Néel, D., Goussault, Y. and Derappe, C.
Glycosylation of the human erythrocyte glucose transporter: a minimum structure is required for glucose transport activity (1066) 59

García-Romeu, F., see Borgese, F. (1066) 252
George, S.K., Xu, Y.-H., Benson, L.A., Pratsch, L., Peters, R. and Ihler, G.M.
Cytochrome b_5 and a recombinant protein containing the cytochrome b_5 hydrophobic domain spontaneously associate with the plasma membranes of cells (1066) 131
Gingras, D., Ménard, P. and Béliveau, R.
Protein carboxyl methylation in kidney brush-border membranes (1066) 261
Goins, B., see Rudolph, A.S. (1066) 90
Gongadze, G., see Sabelnikov, A.G. (1066) 21
Gourlet, P., De Neef, P., Woussen-Colle, M.-C., Vandermeers, A., Vandermeers-Piret, M.-C., Robberecht, P. and Christophe, J.
The activation of adenylate cyclase by pituitary adenylate cyclase activating polypeptide (PACAP) via helodermin-preferring VIP receptors in human SUP-T1 lymphoblastic membranes (1066) 245
Goussault, Y., see Feugeas, J.-P. (1066) 59
Granitzer, M. and Steels, P.
Role of Na^+/K^+ exchange and organic acids in base induced hyperpolarization of renal proximal amphibian tubule (1066) 111

Hajdu, J., see Kan, C.-C. (1066) 95
Hansen, C., see Allen, T.M. (1066) 29
Hemminga, M.A., see Sanders, J.C. (1066) 102
Hirsch, M., see Reinach, P.S. (1066) 115
Huang, L., see Liu, D. (1066) 159
Hübner, W., Mantsch, H.H. and Kates, M.
Intramolecular hydrogen bonding in cardiolipin (1066) 166

Ichikawa, A., see Negishi, M. (1066) 77
Ihler, G.M., see George, S.K. (1066) 131
Irie, A., see Negishi, M. (1066) 77

Joiner, C., see Schroeder, F. (1066) 183

Kahana, E., Streichman, S. and Silver, B.L.
A simple spectroscopic method for studying erythrocyte ghost resealing (1066) 6
Kahana, E., Streichman, S. and Silver, B.L.
The role of electrostatic forces in the interaction between the membrane and cytoskeleton of human erythrocytes (1066) 1
Kahana, E., see Streichman, S. (1066) 9
Kamaya, H., see Suezaki, Y. (1066) 225
Kamaya, H., see Tamura, K. (1066) 219
Kaminoh, Y., see Tamura, K. (1066) 219
Kan, C.-C., Bittman, R. and Hajdu, J.
Phospholipids containing nitrogen- and sulfur-linked chains: kinetics of cholesterol exchange between vesicles (1066) 95
Kates, M., see Hübner, W. (1066) 166
Kinne, R.K.H., see Brechue, W.F. (1066) 201
Kinne-Saffran, E., see Brechue, W.F. (1066) 201
Koepsell, H., see Steffgen, J. (1066) 14

Levitsky, D.O., see Timonin, I.M. (1066) 43
Liljenberg, C., see Norberg, P. (1066) 257
Liu, D., Mori, A. and Huang, L.
Large liposomes containing ganglioside GM_1 accumulate effectively in spleen (1066) 159
Loomis, L.D., see Verma, J.N. (1066) 229
López-Aparicio, P., see Pérez-Albarsanz, M.A. (1066) 124

Månsson, J.-E., see Norberg, P. (1066) 257
Mantsch, H.H., see Hübner, W. (1066) 166
Maren, T.H., see Brechue, W.F. (1066) 201
Margolis, L.B., see Popov, S.V. (1066) 151
Martin, F., see Allen, T.M. (1066) 29
Mealy, T., see Oshry, L. (1066) 239
Meers, P., see Oshry, L. (1066) 239
Ménard, P., see Gingras, D. (1066) 261
Meyer, H.E., see Yannoukakos, D. (1066) 70
Mori, A., see Liu, D. (1066) 159
Morrot, G., see Schroeder, F. (1066) 183
Motais, R., see Borgese, F. (1066) 252
Mouneimne, Y., Tosi, P.-F., Barhoumi, R. and Nicolau, C.
Electroinsertion of xeno proteins in red blood cell membranes yields a long lived protein carrier in circulation (1066) 83

Nagata, N., see Negishi, M. (1066) 77
Néel, D., see Feugeas, J.-P. (1066) 59
Negishi, M., Irie, A., Nagata, N. and Ichikawa, A.
Specific binding of glycyrrhetinic acid to the rat liver membrane (1066) 77
Nemecz, G., see Schroeder, F. (1066) 183
Nicolau, C., see Mouneimne, Y. (1066) 83
Norberg, P., Månsson, J.-E. and Liljenberg, C.
Characterization of glucosylceramide from plasma membranes of plant root cells (1066) 257

Oshry, L., Meers, P., Mealy, T. and Tauber, A.I.
Annexin-mediated membrane fusion of human neutrophil plasma membranes and phospholipid vesicles (1066) 239

Pérez-Albarsanz, M.A., López-Aparicio, P., Senar, S. and Recio, M.N.
Effects of lindane on fluidity and lipid composition in rat renal cortex membranes (1066) 124
Peters, R., see George, S.K. (1066) 131
Petrov, V.V., see Timonin, I.M. (1066) 43
Poile, T.W., see Sanders, J.C. (1066) 102
Popov, S.V., Svitkina, T.M., Margolis, L.B. and Tsong, T.Y.
Mechanism of cell protrusion formation in electrical field: the role of actin (1066) 151
Pratsch, L., see George, S.K. (1066) 131

Rahamimoff, H., see Tessari, M. (1066) 208
Recio, M.N., see Pérez-Albarsanz, M.A. (1066) 124
Redemann, C., see Allen, T.M. (1066) 29
Reinach, P.S., Tarvin, J.T. and Hirsch, M.
Changes in cellular membrane and paracellular conductances by amphotericin B in the epithelium of the bullfrog cornea (1066) 115
Riley, S.A., Warhurst, G., Crowe, P.T. and Turnberg, L.A.
Active hexose transport across cultured human Caco-2 cells: characterisation and influence of culture conditions (1066) 175
Robberecht, P., see Gourlet, P. (1066) 245
Rudolph, A.S. and Goins, B.
The effect of hydration stress solutes on the phase behavior of hydrated dipalmitoylphosphatidylcholine (1066) 90
Ruuge, E.K., see Timonin, I.M. (1066) 43

Sabelnikov, A.G., Cymbalyuk, E.S., Gongadze, G. and Borovyagin, V.L.
Escherichia coli membranes during electrotransformation: an electron microscopy study (1066) 21
Sanders, J.C., Poile, T.W., Spruijt, R.B., Van Nuland, N.A.J., Watts, A. and Hemminga, M.A.
A NMR investigation on the interactions of the α-oligomeric form of the M13 coat protein with lipids, which mimic the *Escherichia coli* inner membrane (1066) 102
Sänger, M., see Borle, F. (1066) 144
Schroeder, F., Nemecz, G., Wood, W.G., Joiner, C., Morrot, G., Ayraut-Jarrier, M. and Devaux, P.F.
Transmembrane distribution of sterol in the human erythrocyte (1066) 183
Schroit, A.J., see Connor, J. (1066) 37
Schwarz, W., see Steffgen, J. (1066) 14
Senar, S., see Pérez-Albarsanz, M.A. (1066) 124
Sigrist, H., see Borle, F. (1066) 144
Silver, B.L., see Kahana, E. (1066) 1
Silver, B.L., see Kahana, E. (1066) 6
Silver, B.L., see Streichman, S. (1066) 9
Sorette, M.P., see Chen, M.-j. (1066) 193
Spruijt, R.B., see Sanders, J.C. (1066) 102
Stark, G., see Barth, C. (1066) 54
Steels, P., see Granitzer, M. (1066) 111
Steffgen, J., Koepsell, H. and Schwarz, W.
Endogenous L-glutamate transport in oocytes of *Xenopus laevis* (1066) 14
Streichman, S., Kahana, E. and Silver, B.L.
EPR study of the hydrophobic interaction of spectrin with fatty acids (1066) 9
Streichman, S., see Kahana, E. (1066) 1
Streichman, S., see Kahana, E. (1066) 6
Suezaki, Y., Tamura, K., Takasaki, M., Kamaya, H. and Ueda, I.
A statistical mechanical analysis of the effect of long-chain alcohols and high pressure upon the phase transition temperature of lipid bilayer membranes (1066) 225
Svitkina, T.M., see Popov, S.V. (1066) 151

Takasaki, M., see Suezaki, Y. (1066) 225
Tamura, K., Kaminoh, Y., Kamaya, H. and Ueda, I.
High pressure antagonism of alcohol effects on the main phase-transition temperature of phospholipid membranes: biphasic response (1066) 219
Tamura, K., see Suezaki, Y. (1066) 225
Tarvin, J.T., see Reinach, P.S. (1066) 115
Tauber, A.I., see Oshry, L. (1066) 239
Tessari, M. and Rahamimoff, H.
Na^+-Ca^{2+} exchange activity in synaptic plasma membranes derived from the electric organ of *Torpedo ocellata* (1066) 208
Timonin, I.M., Dvoryantsev, S.N., Petrov, V.V., Ruuge, E.K. and Levitsky, D.O.
Interaction of alkaline metal ions with Ca^{2+}-binding sites of Ca^{2+}-ATPase of sarcoplasmic reticulum: ^{23}Na-NMR studies (1066) 43
Tosi, P.-F., see Mouneimne, Y. (1066) 83
Tsong, T.Y., see Popov, S.V. (1066) 151
Turnberg, L.A., see Riley, S.A. (1066) 175

Ueda, I., see Suezaki, Y. (1066) 225
Ueda, I., see Tamura, K. (1066) 219

Vandermeers, A., see Gourlet, P. (1066) 245
Vandermeers-Piret, M.-C., see Gourlet, P. (1066) 245
Van Nuland, N.A.J., see Sanders, J.C. (1066) 102
Vasseur, C., see Yannoukakos, D. (1066) 70

Verma, J.N., Wassef, N.M., Wirtz, R.A., Atkinson, C.T., Aikawa, M., Loomis, L.D. and Alving, C.R.
Phagocytosis of liposomes by macrophages: intracellular fate of liposomal malaria antigen (1066) 229

Wachtel, E.J., Borochov, N. and Bach, D.
The effect of protons or calcium ions on the phase behavior of phosphatidylserine-cholesterol mixtures (1066) 63
Wajcman, H., see Yannoukakos, D. (1066) 70
Warhurst, G., see Riley, S.A. (1066) 175
Wassef, N.M., see Verma, J.N. (1066) 229
Watts, A., see Sanders, J.C. (1066) 102
Weiser, T. and Bentrup, F.-W.
Charybdotoxin blocks cation-channels in the vacuolar membrane of suspension cells of *Chenopodium rubrum* L. (1066) 109
Wirtz, R.A., see Verma, J.N. (1066) 229
Wood, W.G., see Schroeder, F. (1066) 183
Woussen-Colle, M.-C., see Gourlet, P. (1066) 245

Xu, Y.-H., see George, S.K. (1066) 131

Yannoukakos, D., Meyer, H.E., Vasseur, C., Driancourt, C., Wajcman, H. and Bursaux, E.
Three regions of erythrocyte band 3 protein are phosphorylated on tyrosines: characterization of the phosphorylation sites by solid phase sequencing combined with capillary electrophoresis (1066) 70
Yau-Young, A., see Allen, T.M. (1066) 29